	Hits	Search Text	DBs
1	65	((embed$5 or insert$5 or encod$5) with value$1 with attribute$1 with (key$1 or (unique near5 identifier$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	47	l1 and (@ad < "20020306")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	22	l2 and (index$5 with (key$1 or (unique near5 identifier$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	22	l3 and database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	6	(("5455944") or ("6539095") or ("20020095421") or ("20030135465") or ("20030188175") or ("20030115147")).PN.	US-PGPUB; USPAT
6	0	("l4notl5").PN.	US-PGPUB; USPAT
7	18	l4 not l5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	33	12 and index$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	11	18 not 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB